

Illinois Crop Progress and Condition

Released June 8, 2020

There were 5.5 days suitable for fieldwork during the week ending June 7, 2020. Statewide, the average temperature was 74.7 degrees, 6.0 degrees above normal. Precipitation averaged 0.49 inches, 0.42 inches below normal. Topsoil moisture supply was rated at 1 percent very short, 10 percent short, 78 percent adequate, and 11 percent surplus. Subsoil moisture supply was rated at 6 percent short, 81 percent adequate, and 13 percent surplus. Corn planted reached 98 percent compared to the previous year at 65 percent and the 5-year average of 92 percent. Corn emerged reached 90 percent compared to the previous year at 46 percent and the 5-year average of 84 percent. Corn condition was rated at 3 percent very poor, 7 percent poor, 25 percent fair, 52 percent good, and 13 percent excellent. Soybeans planted reached 88 percent compared to the previous year at 41 percent and the 5-year average of 79 percent. Soybeans emerged reached 67 percent compared to the previous year at 22 percent and the 5-year average of 65 percent. Soybean condition was rated at 3 percent very poor, 6 percent poor, 24 percent fair, 55 percent good, and 12 percent excellent. Winter wheat headed was at 93 percent compared to the previous year at 91 percent and the 5-year average of 97 percent. Winter wheat condition was rated 5 percent very poor, 8 percent poor, 27 percent fair, 52 percent good, and 8 percent excellent.

Days Suitable for Fieldwork and Soil Moisture Supply: Week Ending June 7, 2020

State	Days Suitable	Topsoil Moisture Supply				Subsoil Moisture Supply			
	for Fieldwork	\/a=:	Short	Adequate	Surplus	Very Short	Short	Adequate	Surplus
		(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
Illinois	5.5	1	10	78	11	-	6	81	13

⁻ Represents zero.

Crop Progress – Illinois

ltem		2015-2019		
	June 7, 2020	May 31, 2020	June 7, 2019	Average
	(percent)	(percent)	(percent)	(percent)
Corn planted	98	92	65	92
Corn emerged	90	76	46	84
Soybeans planted	88	74	41	79
Soybeans emerged	67	50	22	65
Winter wheat headed	93	86	91	97
Alfalfa hay 1st cutting	69	29	36	67
Other hay cut	66	28	32	59

Corn Condition – Illinois

Date	Very Poor	Poor	Fair	Good	Excellent	
	(percent)	(percent)	(percent)	(percent)	(percent)	
June 7, 2020 May 31, 2020 June 7, 2019	3 2 3	7 7 9	25 35 41	52 48 42	13 8 5	

Soybeans Condition - Illinois

Date	Very Poor	Poor	Fair	Good	Excellent	
	(percent)	(percent)	(percent)	(percent)	(percent)	
June 7, 2020 May 31, 2020	3 2	6 5	24 37	55 47	12 9	

Winter Wheat Condition - Illinois

Date	Very Poor	Poor	Fair	Good	Excellent	
	(percent)	(percent)	(percent)	(percent)	(percent)	
June 7, 2020 May 31, 2020 June 7, 2019	5 5 8	8 9 19	27 30 43	52 48 28	8 8 2	

Pasture Condition - Illinois

Date	Very Poor	Poor	Fair	Good	Excellent	
	(percent)	(percent)	(percent)	(percent)	(percent)	
June 7, 2020 May 31, 2020 June 7, 2019		2 2 4	21 25 21	57 57 47	19 15 27	


Weather Information: Week Ending June 7, 2020

District and State	Temperature		Precip	itation	Growing Degree Days	
	Average	Departure from Normal	Total	Departure from Normal	Since May 1	Departure from Normal
	(degrees - F)	(degrees - F)	(inches)	(inches)		
Northwest	74.3	7.6	0.61	-0.17	501	-6
Northeast	72.5	6.6	0.22	-0.57	494	11
West	75.9	7.2	0.55	-0.32	543	-20
Central	74.8	6.3	0.40	-0.49	538	-20
East	73.4	5.0	0.99	0.04	533	-19
West Southwest	76.1	6.6	0.38	-0.54	568	-30
East Southeast	74.8	5.0	0.69	-0.34	581	-23
Southwest	75.2	4.6	0.18	-0.85	608	-27
Southeast	75.4	4.5	0.35	-0.68	619	-25
Illinois	74.7	6.0	0.49	-0.42	551	-17

Weather data provided by the Midwestern Regional Climate Center: http://mrcc.isws.illinois.edu


Average Temperature (°F): Departure from 1981-2010 Normals

June 01, 2020 to June 07, 2020



Accumulated Precipitation (in)

June 01, 2020 to June 07, 2020



Stations from the following networks used: WBAN, COOP, FAA, GHCN,
ThreadEx, CoCoRaHS, WMO, ICAO, NWSLI, Missouri FSA, Missouri Mesonet,
Midwestern Regional Climate Center
cli-MATE: MRCC Application Tools Environment
Generated at: 6/8/2020 9:51:09 AM CDT

0.01 0.05 0.1 0.2 0.3 0.5 0.75 1 1.5 2 2.5 3 4
Stations from the following networks used: WBAN, COOP, FAA, GHCN,
ThreadEx, CoCoRaHS, WMO, ICAO, NWSLI,
Midwestern Regional Climate Center
cli-MATE: MRCC Application Tools Environment
Generated at: 6/8/2020 9:46:48 AM CDT

Access to NASS Reports

For your convenience, you may access NASS reports and products the following ways:

- All reports are available electronically, at no cost, on the NASS web site: http://www.nass.usda.gov
- ➤ Both national and state specific reports are available via a free e-mail subscription. To set-up this free subscription, visit http://www.nass.usda.gov and in the "Follow NASS" box under "Receive reports by Email," click on "National" or "State" to select the reports you would like to receive.
- ➤ Follow us on Twitter @usda_nass

For more information on NASS surveys and reports, call the Heartland Regional Field Office at (314) 595-9594 or e-mail: nassrfohlr@usda.gov.